

Fruit Tree Spray Plus

SDS per US OSHA Hazard Communication Standard (HazCom) 2012, 29 CFR §1910.1200

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. PRODUCT IDENTIFIER

Product name:	Fruit Tree Spray Plus	
Product Type:	Fungicide/Miticide/Insecticide	
EPA Registration No.	70051-111-54705	
Active Ingredient(s):	Clarified Hydrophobic Extract of Neem Oil	
	Pyrethrins	
CAS No.:	947173-77-5	
	8003-34-7	

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses:	For use as a fungicide/miticide/insecticide on listed crops.
Uses advised against:	Any use not listed on the label.

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name:	Lawn and Garden Products, Inc.	
Address:	PO Box 35000	
	Fresno, California 93745	
	USA	
Phone Number:	+1 (449) 499-2100	
Website:	www.montereylawngarden.com	

1.4. EMERGENCY TELEPHONE NUMBER

Emergency number: ChemTel[®] 24 Hrs +1 (800) 255-3924

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

OSHA Hazard	Flammable Liquid, Category 4
Classification:	Skin Sensitizer, Category 1
Signal Word:	Warning.

FRUIT TREE SPRAY PLUS

Hazard Statements:	Combustible liquid. May Cause an Allergic Skin Reaction.
Pictogram:	
Precautionary	Keep away from flames and hot surfaces. No smoking.
Statements:	Avoid breathing spray.
	Wear protective gloves.
	Contaminated work clothing must not be allowed out of the workplace.

2.2. OTHER HAZARDS

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient(s)		CAS #	% w/w
Clarified Hydrophobic Extract of Neem Oil		947173-77-5	70%
Pyrethrins (Pyrethrum)		8003-34-7	0.25%
Hazardous Ingredient(s)	Classification	CAS #	% w/w
Trade Secret	Flammable Liquid, Category 3 Skin Irritation, Category 2 Skin Sensitization, Category 1	N/A	15-25%
Trade Secret	Skin irritation , Category 2 Eye irritation, Category 2A	N/A	≤5%
Trade Secret	Acute toxicity, Category 4 - Oral Serious eye damage, Category 1	N/A	≤5%

SECTION 4: FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

<u>Generic measures</u>: Treat symptomatically. Hotline Number: 1-800-255-3924. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

FRUIT TREE SPRAY PLUS

<u>If in eyes</u>: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

May cause minor eye or skin irritation. May cause mild sensitization.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable Extinguishing Media:Dry chemical, foam, carbon dioxide.Unsuitable Extinguishing Media:Water.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous combustion products: None known.

5.3. ADVICE FOR FIREFIGHTERS;

Protection of Firefighters: Keep upwind of fire. Wear protective clothing and self-contained breathing apparatus. Fight fire from a safe distance.

5.4. OTHER INFORMATION

Not applicable.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For non-emergency personnel:	Avoid substance contact. Ensure adequate ventilation. Evacuate the area and observe emergency procedures.
For emergency responders:	Use appropriate personal protective equipment. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

FRUIT TREE SPRAY PLUS

6.2. ENVIRONMENTAL PRECAUTIONS

Environmental Hazards: This pesticide is toxic to fish and aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Bee Hazard: The product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Clean-Up:	Caution: spillages may be slippery. For small spills, contain the spill with absorbent material and stop the flow. Prevent contamination of water sources. Collect as much material as possible. Transfer to a suitable, clean container for disposal or recovery. Seal the container and handle in an approved manner. Reclaim material if possible.
Other Information:	Dispose of in accordance with all Federal, State and local procedures.

6.4. REFERENCE TO OTHER SECTIONS

Refer to Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Do not use or store near heat or open flame.

Not for use in food-handling areas.

Shake well before and during use.

Use spray solutions within several hours of preparation for maximum effectiveness. Do not use more than 1 time per day on the same plants. Do not apply this product more than 10 times per season. For best results, maintain constant agitation in spray equipment. For optimal performance, do not mix with cold water or apply under cold ambient temperatures (less than 45°F). If product thickens (freezes) before using, place in a warm room (greater than 45°F) for a few days or in warm water (120°F) for 2 to 8 hours until completely thawed. Do not use partially thawed material. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment.

When using in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale. As with other products that contain oils, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn. Do not add adjuvants (spreaders, stickers, extenders etc.) to Trilogy XL-O. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as: impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties, or similar plants without prior testing.

Not for use in outdoor residential misting systems.

FRUIT TREE SPRAY PLUS

Do not allow adults, children or pets to enter the treated area until sprays have dried.

Do not apply directly to or near water or drainage ditches.

Do not apply when windy.

To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden areas only.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

PESTICIDE STORAGE: Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. Keep from freezing. Do not store diluted solutions for later use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

Substance	Occupational Exposure Limits
None.	OSHA PELs: not established
	ACGIH TLVs: not established
	No occupational limit assigned.

8.2. EXPOSURE CONTROLS

None specified.

8.2.1. ENGINEERING CONTROLS:

Not applicable.

8.2.2. PERSONAL PROTECTIVE EQUIPMENT:

None specified.

8.2.3. ENVIRONMENTAL EXPOSURE CONTROLS

This pesticide is toxic to fish and aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

The product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Brown translucent liquid

FRUIT TREE SPRAY PLUS

Odor:	Citrus/garlic
Odor Threshold:	Not determined
pH:	6.46-7.14
Melting Point / Freezing Point:	37°F (3°C)
Initial Boiling Point:	>275°F
Boiling Range:	Not determined
Flash Point:	72°C ± 0.2
Evaporation Rate:	Not determined
Flammability (solid, gas):	Not applicable
Lower & Upper Flammability Limits:	Not applicable
Vapor Pressure:	Not determined
Vapor Density (Air = 1):	Not determined
Density:	7.606 ± 0.5 lb/gal
Solubility:	Not determined
Partition Coefficient (n-octanol/water):	Not determined
Auto-ignition Temperature:	Not determined
Decomposition Temperature:	Not determined
Viscosity:	Not determined
Other relevant properties:	
Volatility by weight:	~25%

9.2. OTHER INFORMATION

Explosion properties:	Not explosive
Oxidizing properties:	Not an oxidizer

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

Not reactive.

10.2. CHEMICAL STABILITY

Chemically stable if stored and handled properly according to the label.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No known or expected hazardous reactions when handled and stored according to stated provisions.

10.4. CONDITIONS TO AVOID

Avoid storage at low temperature. Do not freeze. Keep away from open flame.

FRUIT TREE SPRAY PLUS

10.5. INCOMPATIBLE MATERIALS

None known.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

None known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. LIKELY ROUTES OF EXPOSURE

Oral, dermal, ocular, inhalation

11.2 SYMPTOMS RELATED TO PHYSICAL, CHEMICAL, AND/OR TOXICOLOGICAL CHARACTERISTICS

May cause minor eye or skin irritation. May cause mild skin sensitization.

11.3 EFFECTS (DELAYED/IMMEDIATE/CHRONIC) FROM SHORT- AND LONG-TERM EXPOSURE

See section 4.

11.4 ACUTE TOXICITY

Test	Results	US EPA Toxicity Category
Acute oral LD ₅₀	> 5,000 mg/kg (test material: 90% CHENO*)	IV
Acute dermal LD ₅₀	> 2,000 mg/kg (test material: 100% CHENO)	III
Acute inhalation LC ₅₀	> 6.17 mg/L (test material: 90% CHENO)	IV
Eye irritation:	Mildly and reversibly irritating (test material: Trilogy [®] XL-O)	IV
Skin irritation:	Not an irritant (test material: Trilogy [®] XL-O)	IV
Respiratory or skin sensitization:	Mild skin sensitizer (test material: 90% CHENO)	Not applicable

* CHENO = Clarified Hydrophobic Extract of Neem Oil

11.5 OTHER INFORMATION ON ADVERSE HEALTH EFFECTS

Carcinogenicity	<u>NTP</u> : not listed
	IARC: not listed
	<u>OSHA</u> : not listed

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY					
Species	Test	Study Duration	Conditions	Test substance	Results
Bobwhite Quail (Colinus virginianus)	Avian acute oral	14-day	Gavage	100% CHENO*	LD ₅₀ > 2,150 mg/kg bw

FRUIT TREE SPRAY PLUS

Species	Test	Study Duration	Conditions	Test substance	Results
Fathead Minnow (Pimephales promelas)	Acute freshwater fish	96-hour	Static	100% CHENO*	LC ₅₀ > 2,000 mg/L
Daphnid (Daphnia magna)	Acute freshwater invertebrate	48-hour	Static	100% CHENO*	LC ₅₀ > 2,000 mg/L
Honey bee (Apis mellifera)	The product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.				

* CHENO = Clarified Hydrophobic Extract of Neem Oil

12.2. PERSISTENCE AND DEGRADABILITY

Clarified Hydrophobic Extract of Neem Oil degrades rapidly and does not persist in the environment..

12.3. BIOACCUMULATIVE POTENTIAL

Clarified Hydrophobic Extract of Neem Oil is not intended for use in aquatic environments. Appropriate cautions are required for use around bodies of water.

12.4. MOBILITY IN SOIL

Clarified Hydrophobic Extract of Neem Oil is a natural extract from the seeds of the neem tree (*Azadirachta indica*). It is not expected to move or leach.

12.5. OTHER ADVERSE EFFECTS

None noted. See 12.2 above.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Do not contaminate water, food, or feed by storage or disposal.

<u>Pesticide and Container Handling</u>: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SECTION 14: TRANSPORTATION INFORMATION

14.1. UN NUMBER

None. Not applicable.

14.2. UN PROPER SHIPPING NAME

None. Not applicable.

FRUIT TREE SPRAY PLUS

14.3. TRANSPORT HAZARD CLASS(ES)

Not applicable.

14.4. PACKING GROUP

Not applicable.

14.5. ENVIRONMENTAL HAZARDS

None. Not classified as a Marine Pollutant.

14.6. SPECIAL PRECAUTIONS FOR USER

None.

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

EPA/FIFRA:

This product is a pesticide product and is subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticidal chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

OSHA:

N/A.

TSCA STATUS:

Exempt.

FRUIT TREE SPRAY PLUS

CERCLA REPORTABLE QUANTITY:

N/A.

SARA TITLE III:	
Section 302:	N/A
Section 311/312:	N/A
Section 313:	N/A

RCRA STATUS:

N/A

SECTION 16: OTHER INFORMATION

ABBREVIATIONS

OSHAUS Occupational Health and Safety AdministrationEPAUS Environmental Protection AgencyFIFRAFederal Insecticide, Fungicide, and Rodenticide ActCERCLAComprehensive Environmental Response, Compensation, and Liability Act (Superfund)RCRAResource Conservation and Recovery ActSARASuperfund Amendments and Reauthorization ActTSCAToxic Substances Control ActPELPermissible exposure limitSTOTSpecific target organ toxicityTLVThreshold limit valueLDs0Median lethal dose: dose resulting in 50% mortality in the test speciesLDs0Median effective concentration: concentration resulting in 50% mortality in the test speciesECs0Median effective concentration: concentration resulting in 50% mortality in the test speciesPPEPersonal protective equipmentPPTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the protocol of 1978 (Marine Pollution 1973/1978).		
FIFRAFederal Insecticide, Fungicide, and Rodenticide ActCERCLAComprehensive Environmental Response, Compensation, and Liability Act (Superfund)RCRAResource Conservation and Recovery ActSARASuperfund Amendments and Reauthorization ActTSCAToxic Substances Control ActPELPermissible exposure limitSTOTSpecific target organ toxicityTLVThreshold limit valueTWATime-weighted averageLDs0Median lethal dose: dose resulting in 50% mortality in the test speciesECs0Median lethal concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersistent, bioaccumulative, and toxicVPVBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	OSHA	US Occupational Health and Safety Administration
CERCLAComprehensive Environmental Response, Compensation, and Liability Act (Superfund)RCRAResource Conservation and Recovery ActSARASuperfund Amendments and Reauthorization ActTSCAToxic Substances Control ActPELPermissible exposure limitSTOTSpecific target organ toxicityTLVThreshold limit valueTWATime-weighted averageLDs0Median lethal dose: dose resulting in 50% mortality in the test speciesECs0Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	EPA	US Environmental Protection Agency
RCRAResource Conservation and Recovery ActSARASuperfund Amendments and Reauthorization ActTSCAToxic Substances Control ActPELPermissible exposure limitSTOTSpecific target organ toxicityTLVThreshold limit valueTWATime-weighted averageLD50Median lethal dose: dose resulting in 50% mortality in the test speciesECs0Median lethal concentration: concentration resulting in 50% mortality in the test speciesFPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
SARASuperfund Amendments and Reauthorization ActTSCAToxic Substances Control ActPELPermissible exposure limitSTOTSpecific target organ toxicityTLVThreshold limit valueTWATime-weighted averageLDs0Median lethal dose: dose resulting in 50% mortality in the test speciesECs0Median effective concentration: concentration resulting in 50% mortality in the test speciesPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicVPVBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act (Superfund)
TSCAToxic Substances Control ActPELPermissible exposure limitSTOTSpecific target organ toxicityTLVThreshold limit valueTWATime-weighted averageLDs0Median lethal dose: dose resulting in 50% mortality in the test speciesLCs0Median lethal concentration: concentration resulting in 50% mortality in the test speciesECs0Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicVPvBInternational Convention for the Prevention of Pollution from Ships, 1973 as modified by the	RCRA	Resource Conservation and Recovery Act
PELPermissible exposure limitSTOTSpecific target organ toxicityTLVThreshold limit valueTWATime-weighted averageLDs0Median lethal dose: dose resulting in 50% mortality in the test speciesLCs0Median lethal concentration: concentration resulting in 50% mortality in the test speciesECs0Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	SARA	Superfund Amendments and Reauthorization Act
STOTSpecific target organ toxicityTLVThreshold limit valueTWATime-weighted averageLD ₅₀ Median lethal dose: dose resulting in 50% mortality in the test speciesLC ₅₀ Median lethal concentration: concentration resulting in 50% mortality in the test speciesEC ₅₀ Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or <i>Daphnia</i> immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	TSCA	Toxic Substances Control Act
TLVThreshold limit valueTWATime-weighted averageLDs0Median lethal dose: dose resulting in 50% mortality in the test speciesLCs0Median lethal concentration: concentration resulting in 50% mortality in the test speciesECs0Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	PEL	Permissible exposure limit
TWATime-weighted averageLD50Median lethal dose: dose resulting in 50% mortality in the test speciesLC50Median lethal concentration: concentration resulting in 50% mortality in the test speciesEC50Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	STOT	Specific target organ toxicity
LDs0Median lethal dose: dose resulting in 50% mortality in the test speciesLCs0Median lethal concentration: concentration resulting in 50% mortality in the test speciesECs0Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	TLV	Threshold limit value
LC50Median lethal concentration: concentration resulting in 50% mortality in the test speciesEC50Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	TWA	Time-weighted average
EC50Median effective concentration: concentration resulting in 50% reduction in algae growth or algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	LD ₅₀	Median lethal dose: dose resulting in 50% mortality in the test species
algae growth rate, or Daphnia immobilizationPPEPersonal protective equipmentPBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	LC ₅₀	Median lethal concentration: concentration resulting in 50% mortality in the test species
PBTPersistent, bioaccumulative, and toxicvPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	EC50	
vPvBVery persistent, very bioaccumulativeMARPOL 73/78International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	PPE	Personal protective equipment
MARPOL 73/78 International Convention for the Prevention of Pollution from Ships, 1973 as modified by the	PBT	Persistent, bioaccumulative, and toxic
	vPvB	Very persistent, very bioaccumulative
	MARPOL 73/78	

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither Lawn and Garden Products, Inc. nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.